RENAULT OBD APPLICATION

VEHICLE	TRANSPONDER ID	PACK	DESCRIPTION	IMMOBILISER UNIT
KANGOO(-2001), CLIO(-2001), TRAFFIC(-2001), MASTER(- 2001)	PCF7931,T5	SYSTEM 1	THERE IS NO OBD PROCEDURE FOR THIS SYETEM, KEYS CAN BE CLONED OR PROGRAMMED VIA EEPROM APPLICATION.	No. 1986 const. 1 con street
CLIOII, TWINGO(02-07), SYMBOL(09-10) ,SOLENZA LOGAN(04-07), LOGAN(08+), SANDERO	PCF7936 - PCF7946	RENAULT-OBD-PCK1 KEY PROGRAMMING	KEY INFO IS GATHERED FROM VEHICLE VIA OBD AND DISPLAYED ON THE SCREEN. PIN CODE IS EXTRACTED VIA OBD. A BLANK CIPHER-MANCHESTER PCF7936 IS USED TO PROGRAMME A KEY. REMOTE IS PROGRAMMED AFTER A SUCCESSFULL KEY PROGRAMMING. ALL EXISTING KEYS ARE ERASED BEFORE PROGRAMMING OR ADDING A NEW KEY.	SIEMENS OF BUILDING OF BUILDIN
LAGUNA II(00-04) LAGUNAII(05-07) ESPACE IV (03-06) ESPACE IV (07- 10)	PCF7947 CARD KEY	RENAULT-OBD-PCK2 KEY PROGRAMMING	CARD KEY INFO IS GATHERED FROM VEHICLE VIA OBD AND DISPLAYED ON THE SCREEN. PIN CODE IS EXTRACTED VIA OBD. REMOTE IS PROGRAMMED AFTER A SUCCESSFULL KEY PROGRAMMING. ALL EXISTING KEYS ARE ERASED BEFORE PROGRAMMING OR ADDING A NEW KEY. FOR LAGUNA CARD KEYS WITH PCF7936 TRANSPONDER, KEYLESS MENU IS USED TO PROGRAMME THE KEY.	
MEGANEII (03-06) SCENICII (03-06)	PCF7947 CARD KEY	RENAULT-OBD-PCK5 KEY PROGRAMMING	CARD KEY INFO IS GATHERED FROM VEHICLE VIA OBD AND DISPLAYED ON THE SCREEN. PIN CODE IS EXTRACTED VIA OBD. ONLY REMOTE KEY CAN BE PROGRAMMED. REMOTE IS PROGRAMMED AFTER A SUCCESSFULL KEY PROGRAMMING. ALL EXISTING KEYS ARE ERASED BEFORE PROGRAMMING OR ADDING A NEW KEY.	

VEHICLE	TRANSPONDER ID	PACK	DESCRIPTION	IMMOBILISER UNIT
MEGANEII (07+) SCENICII (07+)	PCF7947 CARD KEY	RENAULT-OBD-PCK6 KEY PROGRAMMING	CARD KEY INFO IS GATHERED FROM VEHICLE VIA OBD AND DISPLAYED ON THE SCREEN. PIN CODE IS EXTRACTED VIA OBD. A BLANK CIPHER-MANCHESTER PCF7936 IS USED TO PROGRAMME A KEY. REMOTE IS PROGRAMMED AFTER A SUCCESSFULL KEY PROGRAMMING. ALL EXISTING KEYS ARE ERASED BEFORE PROGRAMMING OR ADDING A NEW KEY.	
CLIOII HB CLIO CAMPUS	PCF7946	RENAULT-OBD-PCK4 KEY PROGRAMMING	KEY INFO IS GATHERED FROM VEHICLE VIA OBD AND DISPLAYED ON THE SCREEN. PIN CODE IS EXTRACTED VIA OBD. ONLY REMOTE KEY CAN BE PROGRAMMED. REMOTE IS PROGRAMMED AFTER A SUCCESSFULL KEY PROGRAMMING. ALL EXISTING KEYS ARE ERASED BEFORE PROGRAMMING OR ADDING A NEW KEY.	CE TRANSPIRE MAIN THE PROPERTY OF THE PROPERTY
MEGANE I SCENIC I	ID 60-64	RENAULT-OBD-PCK8 KEY PROGRAMMING	PIN CODE IS CALCULATED FROM WORKING KEY OR EXTRACTED WITH EEPROM APPLICATION. THEN KEYS ARE PROGRAMMED VIA OBD. REMOTE IS PROGRAMMED AFTER A SUCCESSFULL KEY PROGRAMMING. ALL EXISTING KEYS ARE ERASED BEFORE PROGRAMMING OR ADDING A NEW KEY.	
KANGOO(2002-2007), TRAFFIC(2002-2007), MASTER(2002-2007)	PCF7936,PCF7946	RENAULT-OBD-PCK3 KEY PROGRAMMING	KEY INFO IS GATHERED FROM VEHICLE VIA OBD AND DISPLAYED ON THE SCREEN. PIN CODE IS EXTRACTED VIA OBD. A BLANK CIPHER-MANCHESTER PCF7936 IS USED TO PROGRAMME A KEY. REMOTE IS PROGRAMMED AFTER A SUCCESSFULL KEY PROGRAMMING. ALL EXISTING KEYS ARE ERASED BEFORE PROGRAMMING OR ADDING A NEW KEY.	CE THE THE THE PART OF THE PAR

VEHICLE	TRANSPONDER ID	PACK	DESCRIPTION	IMMOBILISER UNIT
Cllo3(2006+), Modus(2006+)	PCF7946/47	RENAULT-OBD-PCK9 KEY PROGRAMMING	KEY INFO IS GATHERED FROM VEHICLE VIA OBD AND DISPLAYED ON THE SCREEN. PIN CODE IS EXTRACTED VIA OBD. A BLANK CIPHER-MANCHESTER PCF7936 IS USED TO PROGRAMME A KEY. SOME MODELS ONLY ACCEPTS REMOTE KEY. REMOTE IS PROGRAMMED AFTER A SUCCESSFULL KEY PROGRAMMING. ALL EXISTING KEYS ARE ERASED BEFORE PROGRAMMING OR ADDING A NEW KEY.	
Kango3(2008+), Master(2010+)	PCF7946 PCF7947	RENAULT-OBD-PCK10 KEY PROGRAMMING	KEY INFO IS GATHERED FROM VEHICLE VIA OBD AND DISPLAYED ON THE SCREEN. PIN CODE IS EXTRACTED VIA OBD. A BLANK CIPHER-MANCHESTER PCF7936 IS USED TO PROGRAMME A KEY. REMOTE IS PROGRAMMED AFTER A SUCCESSFULL KEY PROGRAMMING. ALL EXISTING KEYS ARE ERASED BEFORE PROGRAMMING OR ADDING A NEW KEY.	CE IIII III III III III III III III III
2010-2013 SYMBOL , DUSTER,LOGAN, SANDERO	PCF7936 PCF7946	RENAULT SYMBOL AFTER 2010- CONTINENTAL+JOHNSON CONTROL BOX	KEY INFO IS GATHERED FROM VEHICLE VIA OBD AND DISPLAYED ON THE SCREEN. PIN CODE IS EXTRACTED VIA OBD. MOSTLY PIN CODE IS EXTRACTED VIA OBD.IF KEY ID DISPLAYED ON THE SCREEN IS 09 09 09 PIN CODE IS EXTRACTED FROM KEY OR EEPROM. A BLANK CIPHER-MANCHESTER PCF7936 IS USED TO PROGRAMME A KEY. REMOTE IS PROGRAMMED AFTER A SUCCESSFULL KEY PROGRAMMING. ALL EXISTING KEYS ARE ERASED BEFORE PROGRAMMING OR ADDING A NEW KEY.	PO MOTOR PROPERTY OF STATE OF
LAGUNAIII(08+), KOLEOS	PCF7952 CARD KEY	RENAULT-OBD-PCK11 KEY PROGRAMMING	CARD KEY INFO IS GATHERED FROM VEHICLE VIA OBD AND DISPLAYED ON THE SCREEN. PIN CODE IS EXTRACTED VIA OBD. ONLY REMOTE KEY CAN BE PROGRAMMED. REMOTE IS PROGRAMMED AFTER A SUCCESSFULL KEY PROGRAMMING. ALL EXISTING KEYS ARE ERASED BEFORE PROGRAMMING OR ADDING A NEW KEY.	